Doc Custodian: Safety Department		athon oleum Company ம	Doc No.: HSS-020 Rev No: 1
Approved By: LAR Safety Manager	Los Ang	eles Refinery	Safety Standard
Revision Approval Date:	06/12/24	Next Review Date: 06/12/27	

HSS-020 Bicycle Safety

Overview

Purpose	The purpose of this instruction is to ensure safe operation of bicycles and tricycles used at the Marathon Los Angeles Refinery. Additionally, the intent is to reduce bicycle and tricycle related incidents, injuries, and near miss events.
Scope	This instruction applies to all Marathon employees, Contract Employees, Vendors, and Visitors riding bicycles and tricycles within the Marathon Los Angeles Refinery (LAR). LAR includes the Carson Refinery, Wilmington Refinery, Sulfur Recovery Plant (SRP), Watson Cogeneration Plant and Blue Barn.

Printed: 2/12/2025

Page 1 of 8

Deleted: 6/12/2024

Los Angeles Refinery	Standing Instruction	
Title: Bicycle Safety	Doc Number: HSS-020	Rev No:01

Table of Contents

cycle Safety Overview	
Purpose	
Scope	
Table of Contents	
1.0 References	
2.0 General Requirements	
3.0 Training	
4.0 Record Keeping	
Attachment 1: Hand Signals	
Revision History	
Document Revision History	

Page 2 of 8

Prapade copies should be used with caution. The user of this document must ensure the current approved version of the document is being used.

Los Angeles Refinery Standing Instruction		
Title: Bicycle Safety	Doc Number: HSS-020	Rev No:01

1.0 References

1.1 Refining The table below lists the Refining references used with this document. **References**

Number	Description
HSS-019	Motor Vehicle Safety Driving Standard
HSS-601	General Rail Safety

1.2 Definitions

Table 1 Definitions		
Term	Description	
Bicycle	A vehicle with two wheels and a seat that is pedal-driven and steered by handlebars at the front wheel.	
Garage Personnel	Personnel working in the Garage that perform maintenance and inspections on bicycles and tricycles during normal maintenance working hours.	
Tricycle	A pedal-driven vehicle with two wheels at the back and one at the front	

Page 3 of 8

ed copies should be used with caution. The user of this document must ensure the current approved version of the document is being used. Pr

Los Angeles Refinery	Refinery Standing Instruction	
Title: Bicycle Safety	Doc Number: HSS-020	Rev No:01

2.0 General Requirements

2.1 General Requirements for	2.1.1 All rules in this standard that reference bicycles also apply to tricycles.	
use at LAR		
	2.1.2 Riders shall observe all traffic regulations (i.e., travel in the direction	
	of traffic, stop at stop signs, keep to the right, observe speed limits, do not	
	ride in congested areas, etc.). Riders should also use hand signals when	
	turning or stopping as long as it is safe to do so. (See Attachment 1)	
	2.1.3 Bicycles shall be equipped with reflectors. If they are used at night	
	they shall be equipped with appropriate lights and/or reflectors or reflective	
	tape mounted in a manner that makes them visible to traffic from either	
	direction.	
	2.1.4 Bicycles shall be ridden on designated roadways on paved/compacted	
	dirt areas that have more than 3 feet clearance from structures, obstructions or	
	equipment.	
	2.1.5 Bicycles shall not be ridden inside a unit between equipment. They	
	can be used on open alleyways designed for vehicle traffic.	
	2.1.6 Bicycles taken into areas with less clearance (near traffic poles,	
	structural supports, near temporary equipment in a unit, etc.) shall be walked.	
	2.1.7 Bicycles shall not be ridden during adverse weather conditions or in	
	areas without adequate lighting that affect the safe operation of the bicycle or	
	the ability to see hazards such as soft spots, loose gravel, poles, valve handle	
	chains, I-beams, etc. These conditions include heavy rain, heavy fog, hail, etc.	
	2.1.8 Bicycles shall not be ridden up or down tank levees unless utilizing	
	the bike path.	
	2.1.9 Bicycles shall not be ridden within shop areas.	
	2.1.10 Both hands shall remain on the handlebars at all times during riding	
	unless utilizing hand signals.	
	2.1.11 Lined baskets shall be used to transport material. The material shall	
	be secured within the basket during transport. If the bicycle cannot balance on	
	the kickstand with load in the basket, then the load is too heavy. If load is too	
	heavy or oversized, do not use the bicycle to transport material. The solid or	
	tight mesh lining of the basket shall be designed to prevent items being	
	transported from falling through.	
	2.1.12 Only one person at a time shall ride the bicycle. Horseplay is	
	prohibited while riding.	-
	2.1.13 Park or store bicycles safely, in designated areas. Bicycles shall not be	
	left in a location where they may present a tripping hazard or obstruct	
	pedestrian or vehicle traffic.	
	2.1.14 Use of a cell phone or 2-way radio while riding a bicycle is prohibited.	
	2.1.15 A rider shall not wear a safety harness with lanyards, PPE or other	
	clothing that could become entangled in the chain or spokes while riding a	
	bicycle.	
		ſ
		1

Printed: 2/12/2025

Page 4 of 8

Los Angeles Refinery	Standing Instruction	
Title: Bicycle Safety	Doc Number: HSS-020 Rev No:01	
		1
	2.1.16 Passing any vehicle on the right is prohibited unless directed to do so	
	or road conditions were designed for safe passage.	ų.
	2.1.17 Bicycles shall be ridden perpendicular across the Railroad tracks.	nse
	Bicycles shall not be ridden in between the Railroad tracks. Bicycles shall	ang Bu
	follow same rules for crossing tracks as stated in HSS-601 General Rail	bei
	Safety.	IS.
	2.1.18 Marathon provided bicycles shall not be taken or ridden outside of the	lent
	LAR property fence line.	un
	2.1.19 When riding bicycles in the refinery, full PPE required for the area	pop
	shall be worn. FRC, hard hat, safety glasses, ear plugs and steel toed work	he
	boots shall be worn in PPE required areas. In areas where PPE is not required,	of t
	personnel shall wear closed toe shoes, long pants, and shirts with long	uo
	sleeves.	ersi
	2.1.20 Riders shall remain seated on the bicycle while riding. Riders should	ł ve
	only stand on the bicycle if necessary, to get the bicycle in motion.	vec
	2.1.21 Contractors shall not ride Marathon bicycles. Contractor bicycles will	pro
	need to be provided by their company and meet the standards set forth in this	t ap
	procedure.	ent
Approved Bicycles	2.2.1 Personal bicycles may be ridden into LAR city street access points	unc
	provided they are parked in specifically designated bike racks at the facility	he (
	entrances. They cannot be used at any time inside the facility.	e tl
	2.2.2 Procurement of company bicycles shall be authorized by:	INSU
	Maintenance- Department Supervisor	t er
	Operations- Area Team Lead	snu
	All other departments- Department Manager or their delegate	nt n
	2.2.3 The standards for all company bicycles are 26" 3-speed cruisers with	meı
	only rear pedal brakes and/or rear hand brakes are allowed. Exceptions to	cu
	these bicycles must be approved by the Garage Foreman.	s dc
	2.2.4 Contractors shall provide their own bicycles if needed and the bicycles	this
	shall meet MPC standards. Contractors must provide Make, Model and Serial	of
	Numbers to the Garage for tracking and record keeping.	used with caution. The user of this document must ensure the current approved version of the document is being used
Bicycle Inspection	Bicycles shall be inspected prior to use, by the rider, for defects that	le u
5 1	could hinder safety. All defects found shall be corrected prior to using	μL μ
	the bicycle. Inspections shall include the following as a minimum:	on.
	2.3.1 Assure brake and steering column is in good working order.	utio
-	2.3.2 Visually inspect the chain condition and lubrication.	ca
	2.3.3 Visually inspect the tires to ensure they are properly inflated.	vith
	2.3.4 Assure both fenders and chain guards are in place and secure.	v bi
	2.3.4 Assure bour renders and chain guades are in place and secure.2.3.5 Reflectors and light(s) are in working order if riding in dark	use
	conditions.	
	2.3.6 Bicycle users may adjust seat height and air the tires of a bicycle. All	blu
	other repairs shall be performed by the garage, designated outside vendor or	hot
	the contract company's competent maintenance technician.	ed copies should be
		pie
	2.3.7 Inspections of Marathon bicycles shall be performed annually and will be managed through the garage.	1 cc

Printed: 2/12/2025,

Page 5 of 8

Los Angeles Refinery		Standing Instruction	
Title: Bicycle Safety		Doc Number: HSS-020	Rev No:01
	2.3.8 Each bicycle wi	Il be fitted with a tag for identification	n of annual
	inspection. If the tag is	missing, report it to garage personnel.	
	2.3.9 Bicycle user mu	ist check for an up to date bicycle insp	bection tag before
use. If the tag is missing or not current, the bicycle shall not be used and		be used and must	
	be returned to the garage	ge for inspection.	
	2.3.10 Bicycles shall not be modified from original manufacturers design.		
	Repair parts shall meet or exceed original equipment manufacturers (OEM)		
specifications and be performed by the garage, designated outside vend competent contract maintenance technician.		tside vendor or	
Accident	Bicycle riders involved in an accident shall immediately notify their		
Reporting	Supervisor or Area Tea	m Lead of the incident and ensure an	Intelex Report is
	completed and submitte		•

3.0 Training


Bicycle Training	Any person riding a bicycle at LAR shall be trained on the requirement of this procedure.
------------------	---

4.0 Record Keeping

Record Keeping	The Garage will manage the maintenance and inspection records for
	Marathon provided bicycles.
	Contract companies that bring bicycles into LAR for use must maintain
	and manage their own maintenance and inspection records. Contractors
	must provide Make, Model and Serial Numbers to the Garage for record
	keeping.

Prapade copies should be used with caution. The user of this document must ensure the current approved version of the document is being used.

Page 6 of 8



Doc Custodian: Safety Department	Marathon Petroleum Company P		Doc No.: HSS-020 Rev No: 1
Approved By: LAR Safety Manager	Los Ang	Los Angeles Refinery	
Revision Approval Date: 06/12/24		Next Review Date: 06/12/27	•

Revision History

Document Revision History Complete the following table for each document revision.

Rev. No.	Description of Change	Author	Approved By	Rev. Date	Effective Date
00	Integrated Legacy Andeavor policies on Bicycle Safety	Brian Kirby	Connie Lema	9/16/20	9/16/23
01	Changed language on types of bicycles allowed in refinery. Added language on Contractor requirements for bicycles and record keeping information	Brian Kirby	Connie Lema	6/12/24	6/12/27

Printed: 2/12/2025

Page 8 of 8

Deleted: 6/12/2024