Marathon Petroleum Company LP	REFINERY-WIDE	R-11-020-F02		
ANACORTES REFINERY	Safety Syringe Evaluation	Page 1 of 1		
	Salety Syllinge Evaluation	REVISION: 0		

Date: Job Title:

Product: Number of times used:

Please **circle** the most appropriate answer for each question. Not applicable (N/A) may be used if the question does not apply to this particular product.

During Use:	Ag	Agree Disagree				
The safety feature can be activated using a one-handed technique.	1	2	3	4	5	N/A
The safety feature <b>does not</b> obstruct vision of the tip of the sharp.		2	3	4	5	N/A
Use of this product requires you to use the safety feature.		2	3	4	5	N/A
This product <b>does not</b> require more time to use than a non-safety		2	3	4	5	N/A
device.						
The safety feature works well with a wide variety of hand sizes.		2	3	4	5	N/A
The device is easy to handle while wearing gloves.		2	3	4	5	N/A
This device <b>does not</b> interfere with uses that do not require a		2	3	4	5	N/A
needle.						
This device offers a good view of any aspirated fluid.	1	2	3	4	5	N/A
This device will work with all required syringe and needle sizes.		2	3	4	5	N/A
This device provides a better alternative to traditional recapping.		2	3	4	5	N/A
After Use:						
There is a clear and unmistakable change (audible or visible) that		2	3	4	5	N/A
occurs when the safety feature is activated.						
The safety feature operates reliably.		2	3	4	5	N/A
The exposed sharp is permanently blunted or covered after use and		2	3	4	5	N/A
prior to disposal.						
This device is no more difficult to process after use than non-safety		2	3	4	5	N/A
devices.						
Training:						
The user <b>does not</b> need extensive training for correct operation.		2	3	4	5	N/A
The design of the device suggests proper use.		2	3	4	5	N/A
It is not easy to skip a crucial step in proper use of the device.		2	3	4	5	N/A

Of the above questions, which 3 are the most important to your safety when using this product?

Are there other questions which you feel should be asked regarding the safety/utility of this product?